


K&M KÖNIG & MEYER
Stands For Music





Stands for Mixer, Monitors, and 19" Rack-Mounted Products

Whether in the rehearsal room, on stage or in a professional sound studio, König & Meyer stands and racks also pull their weight in a discreet yet dependable way day after day. The high-quality, attractively designed 19" equipment is equally appropriate for use on stage as well as for everyday use in the studio.

A large selection of accessories guarantees flexibility for every purpose. The systems are extendable upon demand, practical and comfortable, and can also be adjusted to suit.





HEADPHONE HOLDER

16080

Weight	0.183 kg
Special features	for up to 2 standard headphones and 2 In-Ear headphones
Material	steel
Support width	100 mm
Support depth	60 mm
Size when folded	60 x 70 x 180 mm
Screw-on to	tube diameter up to 30 mm
Support	rubber covered

Order No.

black 16080-000-55

HEADPHONE HOLDER WITH TABLE CLAMP

16085

Weight	0.26 kg
Special features	for up to 2 standard headphones and 2 In-Ear headphones; the holder can be rotated from any position by 90°
Material	steel
Support width	100 mm
Support depth	60 mm
Clamping range	up to 53 mm
Support	rubber covered

Order No.

black 16085-000-55

HEADPHONE HOLDER

NEW**16090**

Weight	0.205 kg
Special features	for up to 2 standard headphones and 2 In-Ear headphones
Material	steel
Support width	100 mm
Support depth	60 mm
Clamping range	up to 45 mm
Support	rubber covered

Order No.

black 16090-000-55



Can easily take two sets of headphones



Can easily take two sets of headphones.



HEADPHONE WALL HOLDER

16310	
Weight	0.22 kg
Special features	for up to 2 standard headphones and 2 In-Ear headphones
Material	steel
Support width	100 mm
Support depth	60 mm
Support	rubber covered

Order No.

black 16310-000-55

UNIVERSAL HOLDER


16320	
Weight	0.134 kg
Special features	swiveling
Material	steel
Size when folded	160 x 24 x 90 mm
Height	90 mm
Support	rubber covered

Order No.

black 16320-000-55



Can easily take two sets of headphones





MIXER STAND

28075	
Weight	7.02 kg
Special features	additional levelling screw for uneven surfaces
Material	steel
Support	felt pads
Max. load capacity	35 kg
Adjustment	support arms gradual in 15° settings
Angle of inclination	0° to 45°
Suitable for	amplifiers and mixers
Height adjustment	spring-loaded clamping knob
Support width	from 455 to 665 mm
Support depth	310 mm
Height	from 710 to 1,005 mm
Leg construction	collapsible square tube legs
Number of legs	4 pieces

Order No.

black 28075-000-55

MONITOR STAND

28101	
Weight	3.74 kg
Material	steel
Max. load capacity	35 kg
Angle of inclination	42°
Suitable for	amplifiers or monitor speakers
Support width	280 mm
Support depth	350 mm
Height	from 425 to 515 mm
Leg construction	collapsible base

Order No.

black 28101-000-55



**AMP STAND****28130**

Weight	2 kg
Special features	with a 3/8" or 5/8" threaded connection for attaching a microphone boom; folds very small; support arms with non-marring rubber
Material	steel
Support	non-marring material
Max. load capacity	35 kg
Angle of inclination	15° to 28°
Suitable for	amplifiers, monitors and speakers
Support width	from 350 to 530 mm
Support depth	from 280 to 385 mm
Size when folded	122 x 86 x 602 mm
Height	from 570 to 990 mm
Leg construction	tube legs with cross braces
Number of legs	3 pieces

Order No.

black	28130-011-55
-------	--------------

The amp stand can hold monitors, amps or other equipment to a max. weight of 35 kg without a problem. The angled front legs have significantly improved the stand's stability and strength. The low centre of gravity ensures even larger amps are securely displayed. The fine adjustment on the supporting leg allows a tilt between 15° and 28°. A microphone can be attached to the telescopic tube using a boom arm with a thread of either 3/8" or 5/8". Folds compactly.

**Accessories**

CARRYING CASE 10811

Page

42



MIXER STAND

42040

Weight	3.28 kg
Material	aluminum
Support	non-marring rubber
Max. load capacity	40 kg
Adjustment	interlocking braces
Support width	525 mm
Support depth	480 mm
Height	725 mm

Order No.

black 42040-000-55



RACK WAGON

28200	
Weight	13.6 kg
Special features	four casters, two of them locking; Cage nuts M5 and locking screws M5 x 16 (30 pieces) are included
Material	steel
Height (units)	16 + 7 spaces
Height	1,060 mm

Order No.

black 28200-000-55

Accessories**Page**

SIDE COVER 28201

149

RACK DESK STAND

40900	
Weight	4.34 kg
Special features	Cage nuts M5 (16 pieces) and locking screws M5 x 16 are included
Material	steel
Height (units)	8 spaces
Base dimensions	440 x 550 mm

Order No.

black 40900-000-55

RACK WAGON

42020	
Weight	12.88 kg
Special features	four casters, two of them locking; Cage nuts M5 and locking screws M5 x 16 (32 pieces) are included; angle adjustable to 45°; heavy-duty construction
Material	steel
Height (units)	12 spaces in top section, 9 spaces in lower section
Max. load capacity	50 kg
Adjustment	T-bar locking screw
Height	875 mm

Order No.

black 42020-000-55

Accessories**Page**

EXTENDER BRACKETS 19" 42021 148



GS-approved
for loads up
to 50 kg





EXTENDER BRACKETS 19"

42021	
Weight	2.07 kg
Special features	Cage nuts M5 and locking screws M5 x 16 (16 pieces) are included
Material	steel
Height (units)	9 spaces
Height	500 mm
Fits	42020

Order No.	
black	42021-000-55

RACK

48240	
Special features	rack rails on front and back side
Material	steel
Dimensions	525 x 430 mm

Order No.	
black, 8 spaces, 9,92 kg	48240-008-55
black, 12 spaces, 11,3 kg	48240-012-55

RACK

48260	
Special features	rack rails on front and back side; sloped front; with casters
Material	steel

Order No.	
black, 16 spaces, 16,32 kg	48260-016-55
black, 21 spaces, 18,56 kg	48260-021-55



MULTI-BAY RACK**483**

Special features	bottom with generous opening and laser cutting for cabling; rack rails on front and back side
Material	steel
Dimensions	553 x 542 mm

Order No.

black, 14 spaces, 16,04 kg	48314-000-55
black, 21 spaces, 18,36 kg	48321-000-55
black, 29 spaces, 20,86 kg	48329-000-55
black, 37 spaces, 21,62 kg	48337-000-55
black, 43 spaces, 25,16 kg	48343-000-55

Accessories**Page**

SIDE PANEL 483/6	149
REAR PANEL 483/7	150
FRONT DOOR 483/8	150
CASTERS 48455	150

SIDE COVER**28201**

Weight	4.5 kg
Special features	contains 2 steel side covers with drillings and 14 screws M5 x 16 mm
Material	steel
Height	880 mm
Fits	28200

Order No.

black	28201-000-55
-------	--------------

SIDE PANEL**483/6**

Special features	comes in pairs easy to mount
Material	steel
Fits	483

Order No.

black, 14 spaces, 5,84 kg	48362-014-55
black, 21 spaces, 8,65 kg	48363-021-55
black, 29 spaces, 11,92 kg	48364-029-55
black, 37 spaces, 14,96 kg	48365-037-55
black, 43 spaces, 17,45 kg	48366-043-55



**REAR PANEL****483/7**

Material	steel
Fits	483

Order No.

black, 14 spaces, 6,12 kg	48372-014-55
black, 21 spaces, 8,4 kg	48373-021-55
black, 29 spaces, 11,16 kg	48374-029-55
black, 37 spaces, 13,58 kg	48375-037-55
black, 43 spaces, 15,48 kg	48376-043-55

FRONT DOOR**483/8**

Special features	with key and metal fittings
Material	steel
Fits	483

Order No.

black, 14 spaces, 6,26 kg	48382-014-55
black, 21 spaces, 8,5 kg	48383-021-55
black, 29 spaces, 10,9 kg	48384-029-55
black, 37 spaces, 13,62 kg	48385-037-55
black, 43 spaces, 15,22 kg	48386-043-55

CASTERS**48455**

Weight	1.22 kg
Special features	set of 4 casters (2 locking) with mounting hardware
Fits	483

Order No.

black	48455-000-00
-------	--------------

**RACKSHELLY****28480**

Weight	0.21 kg
Special features	two optional rackshellies
Material	steel
Suitable for	rack shelves no. 28482 and 28483
Fits	28481-28483

Order No.

black	28480-000-55
-------	--------------



19" RACK SHELF**28481-28483**

Special features	in 1, 2 and 3 spaces 300 mm or 380 mm deep
Material	steel

Order No.

black, 1 space, 300 mm, 1,84 kg	28481-000-55
black, 1 space, 380 mm, 2,37 kg	28481-070-55
black, 2 spaces, 300 mm, 2,14 kg	28482-000-55
black, 2 spaces, 380 mm, 2,79 kg	28482-070-55
black, 3 spaces, 300 mm, 2,5 kg	28483-000-55
black, 3 spaces, 380 mm, 3,13 kg	28483-070-55

Accessories**Page**

RACKSHELLY 28480


150

**UNIVERSAL RACK SHELF****49035**

Weight	1.5 kg
Special features	to mount half rack components, wireless units, and other gear horizontally
Material	steel
Height (units)	1 space
Depth	240 mm

Order No.

black	49035-000-55
-------	--------------

**SLIDING SHELF****49070**

Weight	5.7 kg
Special features	security lock for uncontrolled reverse motion
Material	steel
Height (units)	1 space
Depth	360 mm

Order No.

black	49070-000-55
-------	--------------

**RACKMOUNT LOCKBOX****49103**

Weight	3.7 kg
Special features	storage unit with key lock
Material	steel
Height (units)	3 spaces
Depth	225 mm

Order No.


black	49103-000-55
-------	--------------

**PANEL****28210-28240**

Special features	flat style
Material	aluminum
Thickness	2 mm

Order No.

black, 1 space, 0,12 kg	28210-070-55
black, 2 spaces, 0,24 kg	28220-070-55
black, 3 spaces, 0,36 kg	28230-070-55
black, 4 spaces, 0,48 kg	28240-070-55

**PANEL****28306-28312**

Material	steel
Height (units)	1 space
Suitable for	XLR connectors

Order No.

6 XLR, 0,28 kg	28306-000-55
8 XLR, 0,28 kg	28308-000-55
12 XLR, 0,24 kg	28312-000-55





VENTILATION PANEL

28451/28452

Special features	with ventilation slots
Material	steel

Order No.

black, 1 space, 0,26 kg	28451-000-55
black, 2 spaces, 0,46 kg	28452-000-55

PANEL

494/1

Special features	flanged style
Material	steel
Thickness	1.5 mm

Order No.

black, 1 space, 0,28 kg	49411-000-55
black, 2 spaces, 0,48 kg	49412-000-55
black, 3 spaces, 0,7 kg	49413-000-55
black, 4 spaces, 0,94 kg	49414-000-55


PANEL

494/2

Special features	flanged style
Material	aluminum
Thickness	1.5 mm

Order No.

black, 1 space, 0,1 kg	49421-000-55
black, 2 spaces, 0,2 kg	49422-000-55
black, 3 spaces, 0,32 kg	49423-000-55
black, 4 spaces, 0,4 kg	49424-000-55



VENTILATION PANEL

494/7

Special features	flanged style; with perforated pattern
Material	steel
Thickness	1.5 mm

Order No.

black, 1 space, 0,14 kg	49471-000-55
black, 2 spaces, 0,22 kg	49472-000-55

VENTILATION PANEL

494/8

Special features	flanged style; with close-meshed perforated pattern
Material	steel
Thickness	1.5 mm

Order No.

black, 1 space, 0,2 kg	49481-000-55
black, 2 spaces, 0,34 kg	49482-000-55

RACKMOUNT STORAGE

491/2

Special features	with keylock heavy-duty slides
Material	steel
Depth	390 mm

Order No.

black, 2 spaces, 7,17 kg	49122-072-55
black, 3 spaces, 7,78 kg	49123-073-55
black, 4 spaces, 8,94 kg	49124-074-55



19" POWER BOX

28664

Weight	1.07 kg
Special features	per color unit maximum 3600 W total power input under regular technical connection conditions; CE-mark
Material	aluminum
Height (units)	1 space
Connection	electric cable 2 m
Electrical connection data	400 V AC 3, N, PE CEE 16A, 5-pin 6h
Sockets	6 piece on the front side
Plug	5-pin CEE

Order No.

black 28664-000-55

19" POWER BOX

28665

Weight	0.76 kg
Special features	maximum 3600 W total power input under regular technical connection conditions; CE-mark
Material	aluminum
Height (units)	1 space
Connection	electric cable 2 m
Electrical connection data	230 V AC 50Hz
On/off switch	Yes
Sockets	7 piece on the back side
Plug	shockproofed

Order No.

black 28665-000-55

19" POWER BOX

28668

Weight	0.52 kg
Special features	maximum 3600 W total power input under regular technical connection conditions; CE-mark
Material	aluminum
Height (units)	1 space
Connection	without cable
Electrical connection data	230 V AC 50Hz
On/off switch	Yes
Sockets	6 piece on the back side
Plug	power-con

Order No.

black 28668-000-55



19" POWER BOX

28670

Weight	0.76 kg
Special features	maximum 3600 W total power input under regular technical connection conditions; CE-mark
Material	aluminum
Height (units)	1 space
Connection	electric cable 2 m
Electrical connection data	230 V AC 50Hz
On/off switch	No
Sockets	8 piece on the front side
Plug	shockproofed

Order No.

black 28670-000-55

19" POWER BOX

28675

Weight	0.74 kg
Special features	maximum 3600 W total power input under regular technical connection conditions; CE-mark
Material	aluminum
Height (units)	1 space
Connection	electric cable 2 m
Electrical connection data	230 V AC 50Hz
On/off switch	Yes
Sockets	7 piece on the front side
Plug	shockproofed

Order No.

black 28675-000-55

19" POWER BOX

28676

Weight	1.3 kg
Special features	maximum 3600 W total power input under regular technical connection conditions; CE-mark
Material	aluminum
Height (units)	1 space
Connection	electric cable 2 m
Electrical connection data	230 V AC 50Hz
On/off switch	Yes
Sockets	6 piece on the front and back side
Plug	shockproofed

Order No.

black 28676-000-55





SINGLE RACK RAIL

28410

Weight	0.24 kg
Special features	other space units upon request
Material	steel
Height (units)	10 spaces

Order No.

black 28410-000-55

SUPPORT BRACKET

286/8

Special features	other measurements on request
Material	steel
Suitable for	19"-equipment

Order No.

4 holes, 370 mm long, 0,54 kg 28680-000-55
 8 holes, 370 mm long, 0,57 kg 28681-000-55
 10 holes, 493 mm long, 0,73 kg 28687-000-55

SUPPORT BRACKET

28700

Weight	1.3 kg
Special features	other measurements on request
Material	steel
Suitable for	19"-equipment
Dimensions	431 x 52 x 46 mm
Bore holes	diameter 6.5 mm (4 x)

Order No.

black 28700-000-55



DOUBLE RACK RAIL

28635

Weight	2.28 kg
Special features	other space units on request
Material	steel
Height (units)	35 spaces

Order No.

black 28635-000-55

CABLE HANGER

49010

Weight	0.54 kg
Special features	for 14 cables side trays hold loose items
Material	steel

Order No.

black 49010-000-55

HEADPHONE HOLDER

49302

Weight	0.12 kg
Special features	swiveling
Material	steel
Height (units)	2 spaces

Order No.

black 49302-012-55



PLEXIGLASS SECURITY COVER

493/3

Special features	with hinge and key lock
Material	frame steel, window-pane plexiglass

Order No.

black, 2 spaces, 0,86 kg 49332-000-00

black, 4 spaces, 1,16 kg 49334-000-00

